

144, 430 MHz Omni Antenna 4.5 dBi Gain, NMO Connector, Black ABS Radome



LCANOM1081

Features

- Vertically Polarized
- 4.5 dBi Gain
- NMO Connector
- Black ABS Radome
- 1.5:1 VSWR Max
- 30 Watt Max Input Power

Applications

- Offroad/Overland Vehicles
- Mining/Industrial Heavy Equipment
- Commercial Trucking
- Fleet Management
- Farm Equipment

Description

The L-com LCANOM1081 is a dual band antenna that ships on the same day as ordered. Our vertical polarized antenna with 144 to 430 MHz frequency range has a NMO male connectors. This antenna with a black radome made of ABS has an overall length of 3.54 in, a width of 1.42 in, and a weight of 1 lbs.

L-com's LCANOM1081 is a dual band antenna operating from 144 to 430 MHz with 4.5 dBi gain. The omni directional antenna has a maximum input VSWR of 1.5:1.

L-com has one of the largest in-stock collections of omni directional antennas with our wide selection of superior quality RF parts, that ship same day. Make your online purchase right now to take advantage of our same-day shipping. For further information on similar products, our expert technical support and knowledgeable sales team can help you get the ideal dual band antenna as per your requirement.

Configuration

Band Type	Dual
Radiation Pattern	Omni Directional
Polarization	Vertical
Connector Type	NMO

Electrical Specifications

Description	Minimum	Typical	Maximum	Units
Frequency Range	143		432	MHz
Impedance		50		Ohms
Gain		4.5		dBi

Specifications by Band

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications:
[144, 430 MHz Omni Antenna 4.5 dBi Gain, NMO Connector, Black ABS Radome LCANOM1081](#)

144, 430 MHz Omni Antenna 4.5 dBi Gain, NMO Connector, Black ABS Radome



LCANOM1081

Description	Band 1	Band 2	Band 3	Band 4	Band 5	Units
Range	0.143 to 0.145	0.428 to 0.432				GHz
Gain	4.5	4.5				dBi
VSWR Max	2:1	2:1				
Maximum Input Power	100	100				Watts

Mechanical Specifications

Size

Length	3.54 in [89.92 mm]
Width	1.42 in [36.07 mm]
Height	1.42 in [36.07 mm]
Weight	1 lbs [453.59 g]

Environmental Specifications

Temperature

Operating Range	-40 to +80 deg C
-----------------	------------------

Compliance Certifications (see [product page](#) for current document)


Plotted and Other Data

Notes:

144, 430 MHz Omni Antenna 4.5 dBi Gain, NMO Connector, Black ABS Radome from L-com has same day shipment for domestic and International orders. Our portfolio includes coaxial cable assemblies, connectors, adapters and custom products as well as lightning and surge protectors, NEMA rated enclosures, and an RF product line which includes antennas, amplifiers, passive, and active components.

The information contained within this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part in order to impliment improvements. L-com reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. L-com does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and L-com does not assume liability arising out of the use of any part or document.

L-com CAD Drawing



REVISION			
ZONE	REV.	DESCRIPTION	DATE
	A	INITIAL RELEASE	2/21/2023

APPROVED BY	
KHIETPAS	HBAKKE

<p>UNLESS OTHERWISE SPECIFIED, LEADING DIMENSIONS ARE INCHES DIMENSIONS IN [] ARE MILLIMETERS</p> <p>TOLERANCES:</p> <p>X = ±.2 [5] FRACTIONS XX = ±.02 [5] ANGLES ±1° XXX = ±.005 [13]</p> <p>CABLE LENGTH TOLERANCES: >12 [305] = ±1 [25] / -0 >60 [1524] = ±60 [1524] = ±2 [51] / -0 >120 [3048] = ±120 [3048] = ±4 [102] / -0 >300 [7620] = ±300 [7620] = ±6 [152] / -0</p> <p>ALL DIMENSIONS ARE FOR REFERENCE ONLY AND SUBJECT TO CHANGE WITHOUT NOTICE</p>	<p>INTERPRET ALL DIMENSIONS AND TOLERANCES PER ASME Y14.5</p> <p>SCALE NONE</p> <p>SHEET 1 OF 1</p>
	<p>L-com an INFINITE brand Website: www.L-com.com Phone: 1.800.341.5266 1.978.682.6936</p>
<p>THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF INFINITE ELECTRONICS, INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF INFINITE ELECTRONICS, INC. IS PROHIBITED. THESE COMMODITIES, TECHNOLOGY OR SOFTWARE WERE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH THE EXPORT ADMINISTRATION REGULATIONS. DIVERSION CONTRARY TO U.S. LAW PROHIBITED.</p>	<p>SIZE A</p> <p>CAGE CODE 43321</p> <p>DRAWN BY HBAKKE</p> <p>ITEM NO. LCANOM1081</p>